SUBJECT INDEX

Atlantic Ocean (Equatorial)
  modelling
    introduction 274–81
    method 330–3
      algorithm 334–5
      data distribution 336
      noise 335
  real data and model compared
    data collection sites 277
    results
      currents 282–3, 285, 287, 290–1, 300–2, 306, 308, 309, 311, 337–9
      isotherm depth 297, 299, 304–5, 307, 310
      mass transport 322–3
      meridional variation 303
      NECC 318–21
      seasonality 298
      surface pressure 344
      temperature 282–4, 286, 288–9, 325, 337–9
      travel time 293–5
      upwelling 317–18
      wind 279–81
    results discussed 295–6, 323–5
Atlantic Ocean (North) 1–2
  CFC mapping 9
  cruises 2–4, 113–14
  data analysis
    methods 114–21
    results 121–2
      mass flux 162–3, 179, 180
      nitrate 145, 164, 167, 169, 176
      oxygen 145, 164, 167, 169, 170, 173
      phosphate 145, 149, 164–5, 167, 169, 174
      salinity 145, 149, 162, 164, 167, 169, 172, 177, 182, 184, 186, 188
      silicate 145, 156–61, 164, 167, 169, 175, 178, 183, 185, 187, 189
      temperature 145, 150–5, 164, 167, 169–71
  data handling problems 112–13
    modal decomposition 122–36
    numerical experimentation discussed 136–7
  He-3 mapping 9
  horizontal variation 5–8
  nitrate records
    horizontal variation 97–102
    vertical variation
      latitudinal 54, 60, 144
      longitudinal 18, 24, 30, 32, 33, 36, 42, 48
  oxygen records
    horizontal variation
      depth 77–82
      surface 76
    vertical variation
      latitudinal 51, 57, 141
      longitudinal 15, 21, 27, 31, 33, 35, 39, 45
  phosphate records
    horizontal variation
      depth 91–6
      surface 90
    vertical variation
      latitudinal 53, 59, 142
      longitudinal 17, 23, 29, 32, 33, 36, 41, 47
  salinity records
    horizontal variation
      depth 70–5
      surface 69
    vertical variation
      latitudinal 50, 56, 140
      longitudinal 14, 20, 26, 31, 32, 34, 38, 44
  silicate records
    horizontal variation
      depth 84–9
      surface 83
    vertical variation
      latitudinal 52, 58, 143
      longitudinal 16, 22, 28, 31, 33, 35, 40, 46
  temperature records
    horizontal variation
      depth 62–8
      surface 61
    vertical variation
      latitudinal 49, 55, 139
      longitudinal 11–13, 19, 25, 31–2, 34, 37, 43
  topography 103–9
  tritium mapping 9
  vertical variation 5
Australia, West Coast *see* Leeuwin Current

β spiral model 201–2, 217, 218
Box model 203–4, 219

CFC mapping 9
Current records
  Atlantic Ocean (Equatorial) 282–3, 285, 287, 290–1, 300–2, 306, 308, 309, 311, 337–9
  Greenland/Norwegian Sea modelling
    circulation 387, 389–90, 392–3, 398, 399
    Great Salinity Anomaly 346, 348
  Leeuwin Current model 245–7
Current studies *see* Density-driven currents; Tidal currents; Wind-driven currents

Density records
  Greenland/Norwegian Sea modelling
    circulation 372, 397
    Great Salinity Anomaly 360

Density-driven currents
  equations 432–5
  HF radar measurement 424–9
  results discussed 430–1

Eastern boundary current modelling 270
Empirical orthogonal function (EOF) 114–21, 197–8, 312–15

Flamborough Head
  density-driven currents 428
  wind-driven currents 425
Flux profiles 164–5
Fram Strait 365

Geostrophic velocity modelling, Mediterranean Tongue 215, 216
Great Salinity Anomaly *see under* Greenland/Norwegian Sea
Greenland/Norwegian Sea 365–6
  circulation 342–5, 367
    modelling
      domain 370–1
      forcing factors
        density 372
        salinity 373
        temperature 372
        wind stress 374
      OGCM equations 368–9
      results 375–9
      seasonality study 400
        boundary conditions 379–82
        current patterns 387, 389–90, 392–3, 398, 399
        density 397
        heat transport 386
        horizontal sections 386–93
        integrated quantities 352–4
        mass transport 384–5
        salinity 395, 396
        stream function 383
        temperature 394–96, 399
        vertical sections 393–9
Great Salinity Anomaly modelling
  methods
    advection experiment 345–6
    wind forcing experiment 353
  results
    anomaly migration 350
    bathymetry 344
    current velocities 346, 348
    potential density 360
    salinity 346, 347, 349, 357–59
    temperature 357
    wind stress 354–5
  results discussed 361–2
Guinea, Gulf of 303

He-3 mapping 9
Heat budget, Leeuwin Current model 237, 260
Heat flux, Leeuwin Current model 254
HF (high frequency) radar
  introduction
    operating conditions 407–8
    technical specifications 405–7
  measurements
    density-driven currents
      equations 432–5
      records 424–9
      results discussed 430–1
    tidal currents
      introduction 409
      M2 current 409–13
      M4 current 413–20
      other components 420–2
      results discussed 429–30
    wind-driven currents
      records 422–4
      results discussed 430

Intertropical Convergence Zone (ITCZ) 281
Intra-property modes 166, 190, 191
Irish Sea
  density-driven currents 426
  tidal currents 410, 411, 415–19
  wind-driven currents 423
Isotherm depth (20°C), Atlantic Ocean (Equatorial) 297, 299, 304–5, 307, 310

Kinetic energy density, Leeuwin Current model 235

Lancashire Coast
  density-driven currents 426
  tidal currents 410, 411, 415–19
  wind-driven currents 423
Leeuwin Current
  driving forces
    hypotheses 227–30
    modelling
      method 230–6
      results
        heat advection vectors 261
        heat budget 237
        heat flux 254
        kinetic energy density 235
        temperature 240–1, 244, 248–9, 252–3, 255, 258, 264–9
        velocity vectors 242–3, 250–3, 255
      results discussed
        current strength 245–7
        flow patterns 259
        heat budget 260
        mass transport 263
        salinity 260
        time factors 262
        wind sensitivity 239, 262–3
  setting 226–7
Liverpool Bay
  density-driven currents 426
  tidal currents 410, 411, 415–19
  wind-driven currents 423

Mass flux, Atlantic Ocean (North) 162–3, 179, 180
Mass transport records
  Atlantic Ocean (Equatorial) 322–3
  Greenland/Norwegian Sea modelling, circulation 384–5
  Leeuwin Current model 263
Mathematical modelling *see* Modelling
Mediterranean Tongue
  modelling methods 197–8
    β spiral 201–2, 217, 218
    box 203–4, 219
    formulating a hybrid model 205, 220–22
  modelling results 206–7
    geostrophic velocity 215, 216
    salinity 210–11, 213, 214, 223
    temperature 212, 213
  study area 198, 200, 209
Modelling
  Atlantic Ocean (Equatorial) 274–81
    method 330–3
      algorithm 334–5
      data distribution 336
      noise 335
  Greenland/Norwegian Sea
    circulation
      domain 370–1
      forcing factors
        density 372
        salinity 373
        temperature 372
        wind stress 374
      OGCM equations 368–9
      results 375–9
    Great Salinity Anomaly
      methods
        advection experiment 345–6
        wind forcing experiment 353
      results
        anomaly migration 350
        bathymetry 344
        current velocities 346, 348
        potential density 360
        salinity 346, 347, 349, 357–59
        temperature 357
        wind stress 354–5
      results discussed 361–2
  Leeuwin Current
    method 230–6
    results
      heat advection vectors 261
      heat budget 237
      heat flux 254
      kinetic energy density 235
      temperature 240–1, 244, 248–9, 252–3, 255, 264–9
      velocity vectors 242–3, 250–3, 255
    results discussed
      current strength 245–7
      flow patterns 259
      heat budget 260
      mass transport 263
      salinity 260
      time factors 262
      wind sensitivity 239, 262–3
Mediterranean Tongue
  methods 197–8
    β spiral 201–2, 217, 218
    box 203–4, 219
    formulating a hybrid model 205, 220–22
  results 206–7
    geostrophic velocity 215, 216
    salinity 210–11, 213, 214, 223
    temperature 212, 213
Morecambe Bay
  density-driven currents 426
  tidal currents 410, 411, 415–19
  wind-driven currents 423

Nitrate records
  Atlantic Ocean (North)
    data analysis 145, 164, 167, 169, 176
    horizontal variation 97–102
    vertical variation
      latitudinal 54, 60, 144
      longitudinal 18, 24, 30, 32, 33, 36, 42, 48
North Equatorial Countercurrent (NECC) 318–21
Norwegian Sea *see* Greenland/Norwegian Sea

Ocean Surface Current Radar (OSCR) 404
  see also HF radar
Oxygen records
  Atlantic Ocean (North)
    data analysis 145, 164, 167, 170, 173
    horizontal variation
      depth 77–82
      surface 76
    vertical variation
      latitudinal 51, 57, 141
      longitudinal 15, 21, 27, 31, 33, 35, 39, 45

Pacific Ocean *see* Leeuwin Current
Peru Current modelling 259
Phosphate records
  Atlantic Ocean (North)
    data analysis 145, 149, 164–5, 167, 169, 174
    horizontal variation
      depth 91–6
      surface 83
    vertical variation
      latitudinal 53, 59, 142
      longitudinal 17, 23, 29, 32, 33, 36, 41, 47

Radar *see* HF radar

Salinity Anomaly *see under* Greenland/Norwegian Sea
Salinity records
  Atlantic Ocean (North)
    data analysis 145, 149, 162, 164, 167, 169, 172, 177, 182, 184, 186, 188

horizontal variation
depth 70–5
surface 69
vertical variation
latitudinal 50, 56, 140
longitudinal 14, 20, 26, 31, 32, 34, 38, 44
Greenland/Norwegian Sea modelling 346, 347, 349, 357–59
circulation 373, 395, 396
Leeuwin Current model 260
Mediterranean Tongue modelling 210–11, 213, 214, 223
Seasonality
Atlantic Ocean (Equatorial) 298
Greenland/Norwegian Sea modelling 400
boundary conditions 379–82
current patterns 387, 389–90, 392–3, 398, 399
density 397
heat transport 386
horizontal variation 386–93
integrated quantities 382–4
mass transport 384–5
salinity 395, 396
stream function 383
temperature 394–96, 399
vertical variation 393–9
Silicate records
Atlantic Ocean (North)
data analysis 145, 156–61, 164, 167, 169, 175, 178, 183, 185, 187, 189
horizontal variation
depth 84–9
surface 83
vertical variation
latitudinal 52, 58, 143
longitudinal 16, 22, 28, 31, 33, 35, 40, 46
Singular value decomposition (SVD) 114–21
South Equatorial Current 275
Surface pressure, Atlantic Ocean (Equatorial) 344

Temperature records
Atlantic Ocean (Equatorial) 282–3, 284, 286, 288–9, 325, 337–9
Atlantic Ocean (North)
data analysis 145, 150–5, 164, 167, 169–71
horizontal variation
depth 62–8
surface 61
vertical variation
latitudinal 49, 55, 139
longitudinal 11–13, 19, 25, 31–2, 34, 37, 43
Greenland/Norwegian Sea modelling
circulation 387, 389–90, 392–3, 398, 399
Great Salinity Anomaly 346, 348
Leeuwin Current model 240–1, 244, 248–9, 252–3, 255, 258, 264–9
Mediterranean Tongue modelling 212, 213
Tidal currents
HF radar measurement 409, 429–30
M2 currents 409–13
M4 currents 413–20
other components 420–2
Travel time records, Atlantic Ocean (Equatorial) 293–5
Tritium mapping 9

Upwelling records, Atlantic Ocean (Equatorial) 317–18

Vector analysis 114–17, 147, 148, 168, 194
Velocity vectors, Leeuwin Current model 242–3, 250–3, 255

Wind records
Atlantic Ocean (Equatorial) 279–81
Greenland/Norwegian Sea modelling
circulation 374
Great Salinity Anomaly 354–5
Leeuwin Current model 239, 262–3
Wind-driven currents
HF radar measurement 422–4
results discussed 439